







EURONOX® EN

Vollton Full Shade	1:10 Aufhellung Reduction	Produkt Product	CI	Pigment (%)	Lichtechtheit Light fastness		Wetterechtheit Weather fastness	
					VT	AH	VT	AH
		Weiß / White 6 EN	PW 6	60	8	8	5	5
		Gelb / Yellow 3910 EN	PY 42	60	8	8	5	5
		Rot / Red 110 EN	PR 101	65	8	8	5	5

EURONYL® EN

		Gelb / Yellow 74 EN	PY 74	35	7-8	6-7	4	2-3
		Gelb / Yellow 83 EN	PY 83	35	7-8	6-7	4	3
		Orange / Orange 34 EN	PO 34	40	6-7	5-6	3-4	1-2
		Rot / Red 112 EN	PR 112	30	7	6	4	2
		Rot / Red 170 EN	PR 170	30	7	5-6	4	2-3
		Rot / Red 254 EN	PR 254	40	8	8	4-5	4
		Rot / Red 122 EN	PR 122	32	7	7-8	4	4
		Violett / Violet 19 EN	PV 19	35	7	7-8	4	4-5
		Violett / Violet 19 B EN	PV 19	29	7	7	4	3-4
		Blau / Blue 15:3 EN	PB 15:3	40	8	8	5	5
		Grün / Green 7 EN	PG 7	40	8	8	5	5
		Schwarz / Black 7 EN	PBk 7	33	8	8	5	5

CI = Colour Index | VT = Vollton/Full Shade | AH = Aufhellung/Reduction